



PGY2 Ambulatory Care Pharmacy Residency

UCHealth-University of Colorado Hospital/University of Colorado Skaggs School of Pharmacy

(ASHP Accreditation #82155; NMS Program Code 514165)

This PGY2 pharmacy residency program builds on Doctor of Pharmacy education and PGY1 pharmacy residency programs to contribute to the development of clinical pharmacists in the specialized area of ambulatory care practice. PGY2 residencies provide residents with opportunities to function independently as practitioners by conceptualizing and integrating accumulated experience and knowledge and incorporating both into the provision of patient care. Residents who successfully complete this accredited PGY2 pharmacy residency are prepared for advanced patient care, academic, or other specialized positions, along with board certification in ambulatory care. Graduates of this program are qualified to practice as a clinical pharmacist and/or become a faculty member at a School of Pharmacy or Medicine.

The University of Colorado is an interprofessional, state of the art academic medical center. Our residents have robust clinical training and educational/academic experiences. Residents gain experience in medical writing and publishing, complete a research project of publishable/presentable quality, and are involved with practice management activities.

LEARNING EXPERIENCES:

| ELAKKINO EXI EKIENCES: | | | |
|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Required Longitudinal Rotations (entire 12-months) | | | |
| Population Health | Activities within Trinsic clinically integrated network involve targeted strategies to improve quality metrics and care gaps for practices within the UCHealth system. | | |
| Academia | Teaching and other educational activities for PharmD students and Medical Residents | | |
| Research | Working with a team of faculty members to complete a research project | | |
| Required Core Rotations (3-months) | | | |
| Family Medicine* | This clinic site is the School of Medicine's interdisciplinary AF Williams Family Medicine clinic and enables a well-rounded experience with a wide variety of patient populations (e.g., children, adults, elderly, pregnant patients) and providers (physicians, medical residents, nurses/nurse practitioners, physician assistants, psychiatrist/psychologists, and health sciences trainees). Clinical pharmacists provide team-based care, consultative services, direct patient care under collaborative drug therapy protocols, and education. | | |
| Geriatrics | The Senior's clinic at the University of Colorado Hospital cares for patients age ≥75 years. | | |
| Primary Care* | Several primary care clinics within UCHealth where clinical pharmacists provide care. These include internal medicine and family medicine options, where some also serve as medical resident training clinics. | | |
| Population Health – CU Medicine | This experience extends to CUMedicine, which is the physician management group for all School of Medicine providers. Activities include both administrative and clinical care aspects of population health. | | |

^{*}Option for longitudinal extension

Elective Rotations (over 6 weeks or 3 months)

- Electives are available where University of Colorado Anschutz Medical Campus faculty practice, including UCHealth, and Children's Hospital of Colorado.
- Electives include: clinical lipidology, cardiology, diabetes, nephrology, pediatrics, infectious disease, solid organ transplantation, etc.

The Teaching Certificate Program and A Structured Program to Guide Residents' Experience in Research are required.

REQUIREMENTS: Doctor of Pharmacy Degree (ACPE accredited), PGY 1 residency, Pharmacist licensure in Colorado throughout the duration of the PGY2 program

BENEFITS: Salary is \$65,588 (2024-2025 stipend). Benefits include: healthcare, 22 accrued vacation days (and select holidays), and a travel stipend. Residents are appointed as Clinical Instructors with the School of Pharmacy.

APPLICATION: Interested applicants should provide a letter of intent, CV, academic transcripts, and 3 letters of recommendation using the ASHP Pharmacy Online Residency Centralized Application Service (http://www.ashp.org/phorcas). The application deadline is January 3.

Send questions to: Liza Claus, PharmD (RPD) (Liza.Claus@CUAnschutz.edu), or

Danielle Fixen, PharmD (RPC) (Danielle.Fixen@CUAnschutz.edu)



| Name | Year | Education | Residency Project | Current Position |
|---------------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Alexis Simons | | PharmD: University of Kansas PGY1: Aurora Health Care Metro, Inc; Milwaukee, WI | Impact of medications on the incidence of urinary tract infections (UTIs) in patients with type 2 diabetes | Endocrinology Clinical Pharmacist: University of Kansas Health System; Kansas City, KS |
| Natasha Virrueta | 23-24 | PharmD: University of Wisconsin- Madison PGY1: Froedtert and the Medical College of Wisconsin | Patient portal outreach with pharmacist support to address medication nonadherence in Medicare Advantage enrollees | Ambulatory Care Clinical Pharmacist: St. Luke's; Kansas City, MO |
| Elisa Worledge | | PharmD: University of ColoradoPGY1: Denver Health; Denver, CO | Achievement of low-density lipoprotein cholesterol (LDL-C) thresholds in very high-risk atherosclerotic cardiovascular disease (ASCVD) patients | Clinical Pharmacy Provider: VA Medical Center; Eugene, OR |
| Katelyn Currier | | PharmD: University of Colorado PGY1: PeaceHealth Southwest Medical Center; Vancouver, WA | Evaluation of apixaban anti-xa activity, efficacy, and safety post-bariatric surgery | Clinical Pharmacy Specialist; Associates in Family Medicine; Fort Collins, CO |
| Kelly Koon | 22-23 | PharmD: University of Colorado PGY1: Penobscot Community Health Care; Bangor, ME | Identification of Social Determinants of Education Among Pharmacy Students | Assistant Professor: University of Colorado; Aurora, CO |
| Kristin Potthast | | PharmD: University of Health Sciences & Pharmacy in St. Louis PGY1: University of Missouri Health Care; Columbia, MO | Evaluation of aspirin prescribing and gastrointestinal bleeding in adults 60 years and older in a large academic health system | Assistant Professor: University of Colorado; Aurora, CO |
| Madison Auten | | PharmD: University of KansasPGY1: University of Colorado Community-based | Proportion of Patients Initiated on Xanthine Oxidase Inhibitors that Undergo Up-titration to Achieve Serum Urate Target of < 6 mg/dL Within a 12 Month Time-frame. | Ambulatory Care Clinical Pharmacist: St. Luke's East; Lee-Summit, MO |
| Trevor Beutel | | PharmD: University of ColoradoPGY1: VAMC; Spokane, WA | Characteristics of Patients Treated with Romosozumab as Compared to Parathyroid Hormone Analogs within the UCHealth System: A Cross-Sectional Analysis. | Assistant Professor: University of Colorado; Aurora, CO |
| Armen Fstkchian | 21-22 | PharmD: University of Colorado PGY1: Loma Linda University | Comparison of statin prescribing practices in ASCVD patients with or without CKD. | Ambulatory Care Clinical Pharmacy Specialist: Adventist Health White Memorial; Los Angeles, CA |
| Anushka Tandon | | PharmD: University of ColoradoPGY1: VAMC; Aurora, CO | Primary care versus infectious disease prescriber adherence to human immunodeficiency virus preexposure prophylaxis monitoring and prescribing recommendations. | Clinical Pharmacy Specialist: VA Medical Center; Chicago, IL |
| Lindsay Courtney | | PharmD: University of ColoradoPGY1: University of Pittsburg Medical Center | Incidence of VTE among COVID-19 positive patients following hospital discharge. <i>Ann Pharmacother</i> . 2022;56(9):981-987. | Assistant Professor: Texas Tech University; Amarillo, TX |
| Brooke Trudeau | 20.21 | PharmD: University of Michigan PGY1: Detroit Medical Center | Characterizing changes in diuretic therapy in patients with heart failure after implementation of an SGLT2 inhibitor. <i>J Pharm Practice</i> 2022 (In press) | Clinical Pharmacist: Denver Health Medical Center; Denver, CO |
| Ben Hill | 20-21 | PharmD: West Virginia UniversityPGY1: Boulder Community Hospital | Medications associated with increased occurrence of urinary tract infections in patients with diabetes and/or heart failure <i>Current Drug Safety</i> . 2022 (in press) | Assistant Professor: University of Colorado; Aurora, CO |

| Briana Williams | | PharmD: University of ColoradoPGY1: Denver Health Medical Center | Direct oral anticoagulants versus warfarin in patients with single or double antibody-positive antiphospholipid syndrome <i>J Thromb Thrombolysis</i> . 2022;54:67-73. | Assistant Professor: University of the Incarnate Word; San Antonio, TX |
|-------------------------------------|-------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Vivian Cheng | | PharmD: University of North CarolinaPGY1: VAMC, Denver | Prescribing practices of migraine-specific pharmacotherapy associated with emergency department use for migraine <i>Headache</i> . 2021;61:455–461. | Primary Care Clinical Pharmacy Specialist: Valley Medical Center; Reston, WA |
| Joseph Nardolillo | 19-20 | PharmD: University of Rhode Island PGY1: Indian Health Service Albuquerque | Retrospective cohort study of statin prescribing for primary prevention among people living with HIV. <i>JSRM Cardio Dis</i> 2021;10:1-10. | Assistant Professor: University of Rhode Island; Providence, RI |
| Jennifer Tunoa | | PharmD: University of ColoradoPGY1: VAMC, Seattle, WA | Early impact of 2018 AHA/ACC/Multisociety Cholesterol Guideline on lipid monitoring after statin initiation. <i>J Clin Lipidol</i> . 2020;14:784-790. | Geriatric Clinical Pharmacy Specialist: VA Puget Sound Healthcare System; Seattle, WA |
| Navya Varshney | | PharmD: University of Michigan PGY1: University of California San Francisco | Sodium-glucose cotransporter-2 inhibitors and risk for genitourinary infections in older adults with type 2 diabetes. <i>Ther Adv Drug Saf.</i> 2021;12:1-8 | Internal Medicine/Geriatrics Clinical Pharmacy Specialist: Johns Hopkins Bayview Medical Center; Baltimore, MD |
| Marina Maes | | PharmD: University of ColoradoPGY1: University of Michigan | Evaluation of acute gout prophylaxis prescribing when initiating a xanthine oxidase inhibitor therapy for gout <i>Clin Rheumatol</i> . 2020;40(3):1017-1026. | Assistant Professor: University of Wisconsin; Madison, WI |
| | 18-19 | | | |
| Natalie Rosario | | PharmD: University of KentuckyPGY1: Palm Beach Atlantic University | Hispanic patients' perceptions of mental health disorders among a FQHC clinic population. | Assistant Professor: University of Houston; Houston, TX |
| Marina Stampoulos (Snellings) | | PharmD: University of North CarolinaPGY2: VAMC, Denver | Effectiveness of methenamine for UTI prevention in older adults with varying degrees of kidney function. <i>Ann Pharmacother</i> . 2020;54(4):356-363. | Clinical Pharmacist: University of North Carolina Medical Center; Chapel Hill, NC |
| Kyle Troksa | | PharmD: University of ColoradoPGY1: University of Montana | Effectiveness of a pharmacist-led population health approach to implementing statin therapy in primary prevention patients with type 2 diabetes mellitus. <i>J Am Coll Clin Pharm.</i> 2020;3:723-728. | Ambulatory Care Clinical Pharmacy Specialist: Banner Health, Northern Colorado; Boulder, CO |

| lan Hatlee | | PharmD: LECOM School of Pharmacy PGY1: Millcreek Community Hospital | Can pharmacists reduce inappropriate ED utilization? Am J Health-Syst Pharm. 2020;77(14):1153–1157. | Clinical Pharmacist – Digital Medicine Ochsner Health System; New Orleans, LA |
|-----------------------------------|-------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Emanuela Mooney | 17-18 | PharmD: Idaho State University PGY1: Regis University/Safeway Community | Comparison of clinical pharmacist management of type 2 diabetes versus usual care in a federally qualified health center. <i>Pharm Pract</i> (Granada). 2019;17(4):1618. | Clinical Pharmacist: University of Colorado Health; Colorado Springs, CO |
| Scott Pearson | | PharmD: University of Wisconsin PGY1: University of Colorado Hospital | Assessment of chronic disease management among patients with diabetes and coronary artery disease receiving care in a cardiology clinic. <i>J Am Coll Clin Pharm</i> 2018;1:89-94. | Pharmacist Clinical Specialist: Northwestern General Medicine Associates; Edina, MN |
| Julianna Kluemper (Rivich) | | PharmD: Purdue UniversityPGY1: VAMC, Denver, CO | Social and Psychosocial Determinants of Health Associated with Uncontrolled Diabetes in a FQHC Population. <i>Diabetes Spectrum</i> 2019;32(2):145-151. | Clinical Pharmacist: University of Colorado Health; Denver, CO |
| Beth Zeleznikar (Carter) | | PharmD: NEOCOM PGY1: University of Colorado Community-based | Focused evaluation of provider usability and preferences with the aspirin guide app. | Primary Care Clinical Pharmacist: Cleveland Clinic; Strongsville, OH |
| Ashley Daffron (Huntsberry) | 16-17 | PharmD: University of Colorado PGY1: University of Nebraska Medical Center | Effects of chronic proton pump inhibitor use on kidney function in older adults. <i>Sr Care Pharm</i> 2019;34:325-33. | Assistant Professor: University of Colorado; Aurora, CO |
| Morgan Stewart (Payne) | | PharmD: University of HoustonPGY1: The Ohio State University | Changes in pharmacy students' perceptions of underserved populations after a 6-week clinical rotation in a FQHC clinic. <i>Curr Pharm Teaching Learning</i> 2018;10:1149-1153. | Clinical Assistant Professor: University of Texas; Austin, TX |
| Natalia Pucinelli (Uzal) | | PharmD: Shenandoah University PGY1: Lancaster General Hospital | Monitoring of recommended metabolic laboratory parameters among Medicaid recipients on second-generation antipsychotics in FQHCs. <i>Ann Pharmacother</i> 2018;52(2):160-165. | Clinical Pharmacist: Community Health Centers of Lane County; Eugene, OR |
| Michael Kelly | | PharmD: Virginal Commonwealth University PGY1: Virginal Commonwealth University | BP goals and treatment in patients 60-79 (without DM or CKD) before and after new JNC8/ASH-ISH recommendations. <i>Ther Adv Cardiovasc Dis</i> 2017;11(2):63-71. | Assistant Professor: Thomas Jefferson University; Philadelphia, PA |
| Jessica Norman | 15-16 | PharmD: University of Wisconsin PGY1: University of Colorado Hospital | The effect of the FDA required label changes on zolpidem prescribing practices based on gender. SAGE Open Medicine 2017;5:1-5. | Primary Care Clinical Pharmacist: University of Wisconsin Health; Madison, WI |
| Alvin Oung | 15-10 | PharmD: Massachusetts College of Pharmacy PGY1: Cone Health | Evaluation of medication adherence in a federally qualified health center. <i>Ther Adv Chronic Dis</i> 2017;8:113-120. | Assistant Professor: University of Wyoming; Denver, CO |
| Sara Wettergreen | | PharmD: South Dakota State University PGY1: VAMC, Houston, TX | Comparison of Faculty Assessment and Students' Self-Assessment of Performance during Clinical Case Discussions in a Capstone Course. <i>Medical Teacher</i> 2018;40(2):193-198 | Assistant Professor: University of Colorado; Aurora, CO |

| Cy Fixen | | PharmD. South Dakota State University PGY1: University of North Carolina | Retrospective assessment of mean blood pressure in adults aged 60-79 before and after the publication of 2013 ASH/ISH and JNC8 hypertension guidelines. <i>Ther Adv Cardiovasc Dis</i> 2016 Apr;10(2):67-73. | Tele-health Clinical Pharmacy Practitioner - Primary Care: VA Medical Center; Boise, ID |
|------------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Danielle Fixen (Rhyne) | 14-15 | PharmD: Wingate University PGY1: University of Colorado Hospital | The effect of medical marijuana on the frequency of migraine headache in an adult population. <i>Pharmacotherapy</i> 2016 May;36(5):505-10. | Assistant Professor: University of Colorado; Aurora, CO |
| Jason Zupec | | PharmD: University of CincinnatiPGY1: Akron General Medical Center | Evaluation of statin prescribing for secondary prevention in primary care following new guideline recommendations. <i>Ann Pharmacother</i> 2016 Jan;50(1):17-21. | Assistant Professor: University of the Sciences; Philadelphia, PA |
| Liza Claus (Wilson) | | PharmD: University of Missouri PGY1: University of Mississippi | Comparison of New-Onset Gout Incidence in Adults Prescribed Hydrochlorothiazide vs. Chlorthalidone. <i>J Clin Hypertens</i> 2014;16(12):864-868. | Associate Professor: University of Colorado; Aurora, CO |
| Rhianna Fink (Tuchscherer) | 13-14 | PharmD. South Dakota State UniversityPGY1: Beaumont Health System | Simvastatin and CCBs: A Comparison of Prescribing Practices before and after the U.S. FDA Updates to the 2011 Simvastatin Dosing Standards. <i>Am J Cardiovasc Drugs</i> 2015;15:27-34. | Associate Professor: University of Colorado; Aurora, CO |
| William King IV | 12-13 | PharmD: South Carolina College of Pharmacy PGY1: University of Colorado Hospital | Characterization of diabetes risk factors in patients prescribed chronic statin therapy. <i>Ther Adv Chronic Dis</i> 2014;4(4):206-211. | Clinical Pharmacy Specialist: New Hanover Regional Medical Center; Wilmington, NC |
| Matthew Kostoff | | PharmD: University of ToledoPGY1: Akron General Medical Center | Description of long-term bisphosphonate therapy in postmenopausal women in a primary care setting. <i>Int J Women's Health</i> 2014;6:423-428. | Clinical Pharmacist: NewHealth Collaborative; Akron, Ohio |
| Rachel Lowe | | PharmD: University of ColoradoPGY1: VAMC, Houston, TX | Clinical and economic description of monitoring in patients on chronic statin therapy. <i>Ther Adv Drug Safety</i> 2013;4(1):4-12. | Assistant Professor: University of Colorado; Aurora, CO |
| Angie Thompson | 11-12 | PharmD: University of ColoradoPGY1: Exempla St. Joseph Hospital | Evaluation of type 2 diabetes medication management and diabetes control in patients 65-79 years of age and patients 80-89 years of age at a university health system. <i>Consult Pharm</i> 2013;28(5):296-306. | Clinical Assistant Professor: University of Colorado; Aurora, CO |
| Julie Guerin (Alford) | 10 11 | PharmD: University of Tennessee PGY1: University of Arizona, Tucson, AZ | Patterns of prescribing statin-based combinations that are high risk for myopathy. <i>Pharmacother</i> 2012;32(7):623–630. | Clinical Pharmacist: Aledade, Inc.; Burlington, VT |
| Michele Claibrone (Hanselin) | 10-11 | PharmD; University of ColoradoPGY1: University of Colorado Hospital | Prescribing trends for the treatment of resistant hypertension. <i>Hypertension</i> 2011;58:1008-1013. | Professor and Vice Chair: Regis University; Denver, CO |
| Chad Martell | 00.10 | PharmD: University of Colorado PGY1: Providence Health System, Portland, OR | Evaluation of thiazide diuretic use on serum potassium and glucose regulation. | Associate Professor: Regis University; Denver, CO |
| Jonathan White | 09-10 | PharmD: Midwestern University PGY1: St. Alphonsus Hospital, Boise, ID | Evaluation of fibric acid derivative use at a university affiliated health system using a medication appropriateness index. | Clinical Pharmacist – Primary Care: Froedtert/Medical College of Wisconsin; Milwaukee, WI |

| Sarah Marrs (Anderson) | 08-09 | PharmD: University of Colorado PGY1: Denver Health | Determining predictors of response to exenatide in type 2 diabetes. <i>J Am Pharm Assoc</i> 2012;52:466–471. | Scientific Director, Clinical Care Options; Denver, CO |
|---------------------------|-------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Joseph Vande Griend | 06-07 | PharmD: University of IowaPGY1: University of Colorado Hospital | Characterization and attainment of LDL-cholesterol goals in high risk family medicine patients. <i>J Clin Lipidology</i> 2009;3:195-200. | Senior Director, Pharmacy Ambulatory Health Outcomes: University of Colorado Health; Aurora, CO |
| Joel Marrs | 05-06 | PharmD: Butler UniversityPGY1: Mount Carmel Medical Center, Columbus, OH | Dyslipidemia control in an indigent population with medication assistance compared to an insured population. <i>Pharmacother</i> 2008;28(5):562–569. | Ambulatory Pharmacy Clinical Coordinator: Billings Clinic; Billings, MT |
| Amy Egras (Miller) | 04-05 | PharmD: University of Colorado PGY1: University of California at San Francisco | Comparing a therapeutic statin conversion to a usual care statin conversion. <i>Pharmacother</i> 2008;28(5):553–561. | Associate Professor: Thomas Jefferson University; Philadelphia, PA |
| Donnie Nuzum | 03-04 | PharmD: Texas Tech UniversityPGY1: University of Colorado Hospital | Evaluating sample medication use in primary care: A substudy of Applied Strategies for Improving Patient Safety. Joint Comm J Qual & Patient Safety 2006;32:688-692. | Clinical Pharmacist: Avance Care; Matthews, NC |
| Megan Bestul | 02-03 | PharmD: University of MichiganPGY1: University of Colorado Hospital | Impact of the Women's Health Initiative trial results on hormone replacement therapy use. <i>Pharmacother</i> 2004;24(4):495-499. | Clinical Pharmacist: Oakland University William Beaumont School of Medicine; Royal Oak, MI |
| Jessica Milchak (Kill) | 01-02 | PharmD: University of Iowa PGY1: VAMC Tucson, AZ | Development of a core herbal product list and a pharmacist education program within a university-based outpatient pharmacy. | Clinical Pharmacy Specialist: Kaiser Permanente; Longmont, CO |
| Sunny Linnebur | 00-01 | PharmD: University of KansasPGY1: VAMC Denver, CO | Retrospective evaluation of antihypertensive effectiveness in clinical practice. | Professor: University of Colorado; Aurora, CO |
| Eric MacLaughlin | | PharmD: Medical University of South Carolina BS: Albany College of Pharmacy | Selection and costs of antibiotics for patients with a reported beta-lactam allergy. <i>Arch Fam Med</i> 2000; 9:722-726. | Professor & Chair: Texas Tech University; Amarillo, TX |
| Rachana Patel | 98-99 | PharmD: Butler UniversityPGY1: VAMC Long Beach, CA | Prospective, randomized, double-blind, placebo-controlled evaluation of vitamin K1 versus temporary cessation of warfarin therapy in the treatment of excessive anticoagulation. <i>Pharmacother</i> 2000;20(10):1159-1166. | Manager, Clinical Pharmacy Services in Primary Care: Permanente Kaiser Permanente; Aurora, CO |