

## ADDITIONS AND CORRECTIONS

---

1999, Vol. 103A

**M. M. G. Krishna:** Excited-State Kinetics of the Hydrophobic Probe Nile Red in Membranes and Micelles

Page 3592. The  $\delta$  character should not be in the equations for  $k_B + k_{BA}$ . The correct expressions are as follows.

$$k_B + k_{BA} = \frac{SAS_A(\lambda)\tau_{ave}(\lambda)}{(\alpha_1(\lambda) + \alpha_2(\lambda))\tau_1\tau_2I_{ss}(\lambda)}$$

$$k_B + k_{BA} \cong \frac{\tau_{ave}(\lambda)}{(\alpha_1(\lambda) + \alpha_2(\lambda))\tau_1\tau_2}$$

10.1021/jp991429j

Published on Web 05/20/1999

1999, Volume 103A

**Shawn T. Brown, Jonathan C. Rienstra-Kiracofe, and Henry F. Schaefer, III\*:** A Systematic Application of Density Functional Theory to Some Carbon-Containing Molecules and Their Anions

Page 4065.

**Supporting Information Available:** Tables of harmonic vibrational frequencies for all applied functionals. This information is available free of charge via the Internet at <http://pubs.acs.org>.

10.1021/jp991541h

Published on Web 05/20/1999